



RECREATIONAL VEHICLE GENERATORS

QuietPact™ • PrimePact™



■ Reliability for the Long Haul

Freedom. It's at the heart of the recreational vehicle lifestyle. Go wherever you want in this big, wide-open country without sacrificing comfort. Do whatever you want - whenever you want, with a remote power source that's ready to spring into action at a moment's notice.

Generac understands the freedom of RVing. Turn on the A/C, microwave, or TV whether you are en route, staying at a campsite, or boondocking in the middle of nowhere. Having access to power at all times is essential to your comfort, and Generac RV generators deliver the power you require - in all altitudes and under all conditions.

With over 35 years of serving RV enthusiasts, we understand that reliability is the number one feature you require. Engineered specifically for the unique needs of recreational vehicles, Generac RV generators provide quiet and stable power in a variety of sizes and fuel options. No matter what you drive - a sport utility trailer, 5th wheel, towable or Class A, B, or C trailer - Generac has your RV generator solution.



Generac RV Advantage

The features and technology in our Generac products provide generators that start quickly and run quietly, deliver reliable power, and have extra power and surge capacity built-in. This results in motorhome and travel trailer owners who know they have purchased a product that will provide them with years of dependable service.

Generac OHVI® Engine

The Generac OHVI (Overhead Valve Industrial) engine is designed specifically for generator use. It comes standard with automotive style pressure lubrication and spin-on oil filter that ensure proper lubrication of internal engine components at all times to reduce engine wear and provide a significantly longer life than competitive engines. Generac OHVI engines are more fuel efficient, saving you fuel costs over the life of the generator.



Ultra-quiet, Fully-enclosed Generator

A durable, all steel enclosure with RhinoCoat™ finish and internal muffler system provide superior noise reduction that meets or exceeds all national park noise standards.

Clean and Smooth Power

Run sensitive electronics – laptops or HD TVs – with clean and stable power that is optimized by our solid state frequency voltage regulator.

Compact Design

An industry standard footprint on all models makes installation easy.

Single-side Serviceability

The generator's up-front design means you can conveniently access the air, oil and fuel filters; spark plugs; and other components for routine maintenance and servicing.

Meets RVIA, EPA, CSA and CARB emissions standards.

Travel with Confidence

All Generac RV generators are covered by an industry leading 3-year limited transferable warranty. With trained and authorized service locations throughout North America, you can rest assured that needed support is within reach no matter which road you take. Find a sales or service location through our dealer locator on www.generac.com or by calling 1-800-333-1322.



A Wide Range of Sizes

Generac RV generators come in a wide range of sizes and fuel types to power any adventure — at any time. This ensures the air conditioner, stove-top and lights stay on while you relax and enjoy your RV lifestyle.

GASOLINE SOLUTIONS

Ranging from 3.6 – 7.5 kW, Generac gasoline RV generators pack more power into a smaller footprint while still offering superior noise reduction. Our entire gasoline line is evap-compliant, meeting the most up-to-date CARB standards.

QUIETPACT 40 G

Superior Fuel Economy – Optimized engine performance results in best fuel economy in its class, up to 43% more fuel efficient than competitive units.

QUIETPACT 45/55/65 G

- *One-Touch Start* – allows the generator to automatically prime itself and start up. Just touch the button once and walk away. It’s that easy.
- *On Board Diagnostics and Indicator* – It’s easy to tell when there’s a potential problem with self-diagnosing technology. Simply check the indicator light located on the generator or on the associated remote start panel.
- *Electronic Governor Control* – Electronic governor control maintains a constant engine speed of 60 Hertz for smooth, steady power.



PRIMEPACT 50 G

- A cost-effective solution providing the greatest power output per dollar.
- Installation flexibility from multiple muffler configurations allow for easy adaptability for virtually any installation.

PROPANE SOLUTIONS

Ranging from 3.4 – 7.5 kW, Generac propane RV generators are the most powerful LP models on the market, providing the most wattage output and superior performance. In addition, propane is a greener fuel choice, with lower emissions.

QUIETPACT 40 LP

Superior Fuel Economy – Optimized engine performance results in best fuel economy in its class.

QUIETPACT 55/65/75 LP

Most Powerful Engine – The largest engine in air-cooled RV power generation allows for constant output under extreme conditions, such as high elevations and hotter temperatures.

PRIMEPACT 50 LP

- A cost-effective solution providing the greatest power output per dollar.
- Installation flexibility from multiple muffler configurations allows for easy adaptability for virtually any installation.

DIESEL SOLUTIONS

Delivering 8.5 kW, the QuietPact Diesel 85 provides fuel efficient operation at a constant speed with superior cooling capacity.

QUIETPACT DIESEL 85

- Constant RPM – Speed control allows the 1131cc in-line engine to run at a constant 1950 RPM under any load, meaning no noisy speed changes and increased power and torque.
- Superior Power Output – Radiator cooling capacity is 40% larger than traditional units so there is less wattage drop-off in elevated temperatures than competitive units.
- RVIA, EPA, and CARB emissions compliant. Exceeds Tier III and IV ratings.



	QUIETPACT 40 G	QUIETPACT 40 LP	QUIETPACT 45 G	QUIETPACT 55 G	QUIETPACT 55 LP	QUIETPACT 65 G	QUIETPACT 65 LP	QUIETPACT 75 G	QUIETPACT 75 LP	QUIETPACT 85 D	PRIMEPACT 50 G	PRIMEPACT 50 LP
Fuel	Gasoline	Propane	Gasoline	Gasoline	Propane	Gasoline	Propane	Gasoline	Propane	Diesel	Gasoline	Propane
# of Cylinders/Displacement	Single/220cc	Single/220cc	Two (V-Twin)/530cc	Two (V-Twin)/530cc	Two (V-Twin)/760cc	Two (V-Twin)/530cc	Two (V-Twin)/760cc	Two (V-Twin)/760cc	Two (V-Twin)/760cc	Three / 1131 cc	Single/407cc	Single/407cc
Engine RPM	3600	3600	2571	2571	2200	2571	2571	2571	2571	1950	2571	2571
Wattage	3600	3400	4500	5500	5500	6500	6500	7500	7500	8500	4800	4500
Weight (lbs./kg)	170 / 77.1	170 / 77.1	278 / 126.1	285 / 129.3	329 / 149.2	293 / 132.9	331 / 150.1	330 / 149.7	333 / 151	504 / 228.6	198 / 89.8	200 / 90.7
Dimensions L x W x H (in./mm)	29.5 x 19.0 x 13.5 / 749 x 483 x 343	29.5 x 20.0 x 13.5 / 749 x 483 x 343	33.7 x 21.5 x 16.8 / 856 x 546 x 427	33.7 x 21.5 x 16.8 / 856 x 546 x 427	33.7 x 22.2 x 19.6 / 856 x 564 x 498	33.7 x 21.5x 16.8 / 856 x 546 x 427	33.7 x 22.2 x 19.6 / 856 x 564 x 498	33.7 x 22.2 x 19.6 / 856 x 564 x 498	33.7 x 22.2 x 19.6 / 856 x 564 x 498	36.6 x 23.8 x 23.8 / 930 x 605 x 605	25.5 x 18.88 x 16.75 / 648 x 479 x 425	25.5 x 18.88 x 16.75 / 648 x 479 x 425
Average Fuel Consumption (gal./hr.)/(liters/hr.) <ul style="list-style-type: none">• 10% Load• 1/2 Load• Full Load	0.24 / 0.91 0.35 / 1.32 0.55 / 2.08	0.32 / 1.21 0.55 / 2.08 0.73 / 2.76	0.33 / 1.25 0.45 / 1.70 0.73 / 2.76	0.35 / 1.32 0.55 / 2.08 0.89 / 3.37	0.55 / 2.08 0.93 / 3.52 1.20 / 4.54	0.37 / 1.40 0.65 / 2.46 0.97 / 3.67	0.55 / 2.08 0.99 / 3.75 1.53 / 5.79	0.51 / 1.93 0.8 / 3.03 1.28 / 4.85	0.55 / 2.08 1.05 / 3.97 2.06 / 7.80	0.28 / 1.06 0.49 / 1.85 0.78 / 2.95	0.32 / 1.21 0.46 / 1.74 0.76 / 2.88	0.47 / 1.78 0.72 / 2.73 1.25 / 4.73
Volts	120	120	120	120/240	120/240	120/240	120/240	120/240	120/240	120/240	120/240	120/240
Amps	30	28.3	30	45.8/22.9	45.8/22.9	54.1/27	54.1/27	62.5/31.2	62.5/31.2	70.8/35.4	40/20	37.5/18.75
Breaker Size	• 1-30 Amp	• 1-30 Amp	• 1-30 Amp	• 1-20 Amp • 1-30 Amp	• 1-20 Amp • 1-30 Amp	• 1-30 Amp • 1-30 Amp	• 1-30 Amp • 1-30 Amp	• 1-35 Amp • 1-35 Amp	• 1-35 Amp • 1-35 Amp	• 1-40 Amp • 1-40 Amp	• 1-20 Amp • 1-30 Amp	• 1-20 Amp • 1-30 Amp
Applications	• Class B and C Motor homes (single air conditioning) • Fifth Wheels • Towable Applications • Sport Utility Trailers		• Class A and C Motor homes (single/dual air conditioning) • Fifth Wheels • Travel Trailers • Sport Utility Trailers • Fire & Rescue								• Class A Motor homes (Multiple air conditioning) • Diesel Pushers • Fire/Rescue Vehicles	• Class A and C Motor homes (single air conditioning) • Fifth Wheels • Travel Trailers • Fire/Rescue Vehicles

Accessories

INSTALLATION KITS	
Model #	Description
QP40	Includes remote start panel with 30 ft. harness, tailpipe with hanger, battery cable, remote adapter harness for connecting to an Onan remote, hanger bracket
QP760CC	Includes remote start panel with 30 ft. harness, tailpipe, battery cable, remote adapter harness for connecting to an Onan remote, hanger bracket
QPD85	Diesel unit installation kit includes remote start panel, tailpipe, remote harness, hanger bracket
QPRV	Includes remote start panel, tailpipe, hanger bracket for QP45G, QP55G, QP65G
PP50A	Includes remote start panel with 30 ft. harness, tailpipe, remote adapter harness, bottom out muffler
PP50B	Installation kit includes remote start panel with 30 ft. harness, tailpipe, remote adapter harness, side out / rear out muffler
PP50C	Installation kit includes remote start panel with 30 ft. harness, tailpipe, remote adapter harness, side out / bottom out muffler

SCHEDULED MAINTENANCE KITS	
<i>Scheduled maintenance kits include air filters, spark plug(s), spark plug wrench, associated hardware & instructions.</i>	
Model #	Compatible Models
0C7108	All PrimePact models
0E1130	QP40G, QP40LP, QP55LP, QP65LP, QP75LP
0H0839	QP45G, QP55G, QP65G
0E1744	QP85D

TAIL PIPES	
<i>All RV generators require an exhaust system to move dangerous carbon monoxide away from the vehicle. Generac offers standard pipe lengths applicable for most installations. All tailpipes must be used in accordance with the installation manual.</i>	
Model #	Description
0E0683A	Tailpipe: 16" run, 1-1/4" diameter for QP40G, QP40LP
0G5857	Tailpipe: 25" run, 1-1/4" diameter for QP45G, QP55G, QP65G
0E0907	RV Twin Exhaust Pipe: 26" run, 1-1/2" diameter for QP55LP, QP65LP, QP75LP, QP75G
0043860	Diesel exhaust pipe, 57" run, 1-1/2" diameter for QP85D
4718	Suspended mounting tray allows for the QP40 unit to be mounted in a cabinet, suspended below the floor's surface
0F7502	Mounting Tray Kit for QP40: Allows for mounting at floor level in a larger cutout area

REMOTES / WIRING KITS	
<i>Every Generac RV generator has remote start panel connection capabilities. The remote start panel allows for generator control from a strategic location within the coach or trailer.</i>	
Model #	Description
0F0430	Remote start panel 30' harness with prime capability for QP40, QP55LP, QP65LP, QP75LP, and PrimePact. Requires adapter 0G7666 or 0042370
0G7045	Remote start panel 30' harness with one touch start and diagnostic indicator light for QP45G, QP55G, QP65G
9044	Remote start panel for diesel models with pre-heat capability and run indicator light for QP85D with 0090471
0090471	30 ft. Remote Start Harness, for QP85D with #9044
0042370	Remote start adapter for connection to Onan® harness for PrimePact
0G7666	Remote start adapter for connection from PrimePact to remote 0F429
0E1634A	30" remote start adapter for connection to Onan® harness for all QP gasoline and LP units.

MISCELLANEOUS	
Model #	Description
0F2529	Exhaust Hanger with Clamp: Provides mounting support for all models
0042450	1 3/8" Exhaust Clamp
042520	13" LP Fuel Hose Assembly: provides a flexible connection between the generator and the LP fuel source for all LP models

MUFFLER KITS FOR PRIMEPACT MODELS ONLY	
Model #	Description
9700	Side out, bottom outlet muffler with exhaust clamp, muffler bracket and hardware. 1" O.D.
0043800	Side out, rear bottom outlet muffler with exhaust clamp, muffler bracket and hardware. 1.25" O.D.
4271	Side out, rear outlet muffler with exhaust clamp, muffler bracket and hardware. 1" O.D.
97420	Bottom out muffler with exhaust clamp, muffler bracket and hardware. 1 5/16" O.D.
9743	Side out, front outlet muffler with exhaust clamp, muffler bracket and hardware. 1" O.D.

For detailed information and spec sheets on all accessories, visit Generac.com or **Dealer Connection**.

GENERAC®

Generac Power Systems, Inc.
S45 W29290 Hwy. 59
Waukesha, WI 53189
1-888-GENERAC (1-888-436-3722)

generac.com